

No. Air HQ/S 17726/04/ATS(PC-MCCCXXXVIII)

Dy. No. 660/F/D(Air-II)

Government of India

Ministry of Defence

New Delhi, the 10th Dec, 2013.

To

Mr. Anil Kasana
M/s SP Sai IT Pvt Ltd.
A-60 C, 1st Floor, Sector - 63,
Noida - 201301 (UP).


Subject : **Issue of 'NOC' for construction of building at Plot No. 17, Sector Tech Zone-4, Greater Noida by M/s SP Sai IT Pvt Ltd.**

Sir,

I am directed to refer to your application dated 12.07.2013 on the above subject and to say that Air HQ has no objection for construction of 96.75 metres high building at Plot No. 17, Sector Tech Zone-4, Greater Noida (UP) by M/s SP Sai IT Pvt Ltd, subject to the following conditions:-

- a) The vertical extent (highest point) of the buildings at Latitude 28° 35' 55" N and Longitude 77° 26' 08" E shall not exceed 96.75 metres above ground level/ 300.75 metres above mean sea level. No extension or structure permanent or temporary (eg. Antennas, mummies, lift machine room, overhead water tank, cooling towers, sign boards etc) shall be permitted above the cleared height.
 - b) Standard obstruction lightings as per IS 5613 notification and International Civil Aviation Organization (ICAO) standards as stipulated in ICAO-Annex-14 is to be provided by the company. The lights shall be switched 'ON' at all times.
 - c) Periodic maintenance of obstruction lights to be carried out by the company at regular intervals to keep them in serviceable and visible condition. Provision shall be made for standby power supply to keep the lights 'ON' during power failure.
 - d) Closed garbage containers shall be used in the building complex in order to avoid bird activity.
 - e) No light or combination of lights which by reasons of its intensity, configuration or colour may cause confusion with aeronautical ground lights of an airport shall be installed at the site at any time during or after construction of the building.
 - f) The commencement, completion of works inclusive of installation of obstruction lights are to be intimated to AOC, AF Stn Hindan and HQ WAC, AF, CATCO, Subroto Park, New Delhi. Failure to render these certificates within the stipulated time may lead to cancellation of NOC.
 - g) The validity of this NOC is five years from the date of issue. If the construction for which NOC has been issued, does not complete within five years of issue or found to be in deviation from original proposal the NOC shall be deemed null and void. It will be the responsibility of the applicant to obtain fresh NOC for the proposal.
 - h) Required security clearance should be obtained from MHA/IB of the foreign Nationals and Indian representative employed/to be employed by the company in India.
2. You are also requested to obtain No objection from other concerned Government Organization/Agencies as required.

Yours faithfully,


(A.S. Chowdhury)

Under Secretary to the Government of India